Miele

Incognito Wall Ventilation Hood

DA 6590 W

mieleusa.com

Incognito Wall Ventilation Hood
DA 6590 W

FEATURES

- Designed for recirculated or vented use
- Front-mounted backlit controls
- Four fan speed; max. 625 CFM
- Removable, dishwasher-safe stainless steel filter
- Glass or stainless steel panels for covering the stainless steel grease filter (**sold separately**); dishwasher-safe for easy clean-up
- Filter saturation indicator (grease and charcoal filter)
- Delayed shutdown for 5 or 15 minutes
- Automatic shutdown of intensive level, programmable for 10 minutes
- Integrated halogen lighting with dimmer
- Polished stainless steel logo
- Stainless steel finish or RAL color options

SPECIFICATIONS	
DA 6590 W — Item 28659050USA	
Vented or Recirculating	625 CFM setting
Canopy Dimensions	35 3/8" (898 mm) W x 2 3/4" (70 mm) H x 19 11/16" (500 mm) D
Dimensions (Standard Height) - Vented	27 9/16" - 39 3/4" (700 —1000 mm)
Dimensions (Standard Height) - Recirculating	32 1/2" - 44 5/16" (825 — 1125 mm)
Chimney Dimensions	10 5/8" (270 mm) W x 10 5/8" (270 mm) D
Minimum distance above cooktop	Please refer to page 26 of the installation manual
Color	Available in brushed stainless steel or RAL colors
Electrical	
Electrical Requirements	120 V, 60 Hz, 15 Amps
Power Cord	Moled Plug 6.5 ft. (2m) NEMA 5-15
Electrical Rating	410 W (Blower: 350 W; Lighting: 3x20 W)
Optional Accessories	
Recirculating Kit	DUW 20 Recirculating Kit
OdorFree Charcoal Filter	DKF 12-1 OdorFree Charcoal Filter
Reducing Collar (air flow max. 400 CFM)	
Shipping	
Shipping Weight	46 lbs (21 kg)
Support	
Call	800.843.7231
20/20	2020technologies.com

OPTIONAL PANELS (sold separately)



Available with glass panels
DRP 6590 W Glass, Item #09047920

Available with stainless steel panels
DRP 6590 W Stainless Steel,
Item #09047970

PRODUCT VIEWS

Isometric View



Front View



PRODUCT VIEWS

Top View



Side View